BUSITEMA UNIVERSITY

FACULTY OF ENGINEERING

DEPARTMENT OF COMPUTER ENGINEERING

Linux Command-line Tutor

By

Obella Isaac

Reg. No: BU/UG/2012/89

Email: wizlif.144@gmail.com

Tel: +256-702 143 761

Supervisor: Mr. Alunyu Andrew Egwar

A project Report submitted to the Department of Computer Engineering in Partial Fulfilment of the Requirement for the Award of a Bachelor's Degree in Computer Engineering of Busitema University

April, 2016

DECLARATION

I OBELLA ISAAC Reg No BU/UG/2012/89 hereby declare that this project report is my original work except where explicit citation has been made and it has not been presented to any Institution of higher learning for any academic award.

APPROVAL

This is to certify that the project report under the title "A Linux command-line Tutor"

SIGNATURE	DATE		
Department of Computer Engineering			
Mr. Alunyu Andrew Egwar			
has been done under my supervision and is now ready for examination			

DEDICATION

I dedicate this report to my family and friends who prayed for my success and gave me advice in the core areas of training.

ACKNOWLEDGMENTS

All praises to Jesus Christ for His love endures forever.

The work presented in this manuscript was accomplished under the generous guidance, assistance, constructive criticism and enlightened supervision of Mr. Alunyu Andrew Egwar. His efforts towards the inculcation of spirit of constant work and the maintenance of professional integrity besides other invaluable words of advice have always served as beacon of light throughout the course of the final year project period. I take this humblest opportunity to my deepest sense of gratitude and thankfulness to him.

I am thankful to all those who supported me including my family and friends who provided me with great help for completion of this task, May God bless you.

LIST OF ACRONYMS

Acronym Definition

DBAs Database Administrators

DNS Domain Name Service

GNU Gnu's Not Unix

GUI Graphical/Graphics User Interface

IDE Integrated Development Environment

LPI Linux Professional Institute

MySQL My Structured Query Language

RAD Rapid Application Development

RAM Random Access Memory

SPSS Statistical Product and Service Solutions

SQL Structured Query Language

WYSIWYG What You See Is What You Get

XML Extensible Markup Language

LIST OF ABBREVIATIONS

Abbreviation Definition

OS Operating System

UI User Interface

LIST OF TABLES

Table 1: Table of Gaps	. 10
Table 2: Table showing non-functional requirements.	. 20

LIST OF FIGURES

Figure 1: Dataflow diagram	15
Figure 2: Entity Relationship diagram.	22
Figure 3:Use Case Diagram	23
Figure 4: Dataflow diagram of the system.	25
Figure 5: Main startup page choose one of the command groups to view comma	ınds
under it	XXXV
Figure 6: Interface of Archival and compression commands.	II
Figure 7: Tutor screen for the bunzip2 command showing the man page in the center	and
illustration examples on the left.	II
Figure 8: Sample Illustration screen for HelloWorld.java tutorial	III
Figure 9: Sample questions screen for the ls command	III
Figure 10: Sample terminal practice screen.	IV
Figure 11: Sample code for command page	V
Figure 12: Sample code for Illustration page.	V
Figure 13: Sample Code for main qml page	VI
Figure 14: Sample code for .pro	VI
Figure 15: Sample code for qml C++ page.	VII
Figure 16: Sample code for terminal C++ page.	VII
Figure 17: Sample XML Code for Qt user interface	VIII
Figure 18: Sample code to execute xterm.	IX
Figure 19: Main page qml code.	X
Figure 20: Tutorial.qml code	XI
Figure 21: Illust aml code	XII

TABLE OF CONTENTS

DECLAR	ATION	. i
APPROV	AL	ii
DEDICAT	ΓΙΟΝ i	ii
ACKNOV	VLEDGMENTSi	V
LIST OF	ACRONYMS	V
LIST OF	ABBREVIATIONSv	'ni
LIST OF	TABLESv	ii
LIST OF I	FIGURESvi	ii
TABLE O	F CONTENTSi	X
ABSTRA	CTxi	ii
CHAPTE	R ONE: INTRODUCTION	1
1.0 I	ntroduction	1
1.1 E	Background	1
1.2 F	Problem Statement	2
1.3	Objectives	2
1.3.1	. Main objective	2
1.3.2	. Specific objectives	2
1.4 J	ustification	3
1.5 S	Scope	3
1.5.1	Technical Scope	3
1.5.2	Time scope	3
CHAPTE	R TWO: LITERATURE REVIEW	4
2.0 I	ntroduction	4
2.1 I	inux	4
2.1.1	History of Linux	4

2.1.2	Features and properties of Linux	5
2.1.3	Linux Command-line or Terminal	5
2.1.4	Linux Daemons	6
2.1.5	Linux Graphical User Interfaces	6
2.2 Ex	isting Systems	7
2.2.1	Man pages	7
2.2.2	Info pages	8
2.2.3	Apropos command	8
2.2.4	"whatis" command	9
2.2.5	-h orhelp option	9
2.2.6	Linux Command-line completion	9
2.3 Sy	stem	10
2.4 Ta	ble of Gaps	10
CHAPTER	THREE: METHODOLOGY	12
3.0 Int	roduction	12
3.1 Re	equirements Gathering	12
3.1.1	Questionnaires as requirements gathering instrument	12
3.1.2	Document Studies	13
3.2 Re	equirements Analysis	13
3.3 Sy	stem Design	13
3.3.1	Front-End Designer Tools	14
3.3.2	Back-end Designer Tools	
3.3.3	Dataflow Diagram for system	15
3.4 Im	plementation of Design	16
3.4.1	Design of the application interface	

	3.4.2	Linking of the interface with the Linux environment.	16
	3.4.3	Embedding a daemon to analyze commands	16
3.5	5 Tes	sting and Validation	16
	3.5.1	Testing	17
	3.5.2	Validation	17
СНА	PTER 1	FOUR: SYSTEM ANALYSIS AND DESIGN	18
4.0) Inti	roduction	18
4.1	l Sys	stems Analysis	18
,	4.1.1	Functional Analysis	18
•	4.1.2	Requirements Analysis	19
4.2	2 Sys	stem Design	22
	4.2.1	Entity Relationship Diagram	22
	4.2.2	Use case Diagram	22
	4.2.3	Dataflow Model	24
СНА	PTER 1	FIVE: IMPLEMENTATION AND TESTING	26
5.0) Inti	roduction	26
5.1	l De	velopment Platforms	26
	5.1.1	Qt Creator v5.5.1	26
	5.1.2	Notepad++ v6.9	
	5.1.3	Komodo Edit v9.3.2	
	5.1.4	SQLite3 v3.8.2	26
	5.1.5	SQLite Database Browser v2.0b1	
	5.1.6	LICEcap v1.26	
	5.1.7	Pylote	
5 0		de Designs	27

5.3	User Interface	28
5.4	Validation	28
5.5	Packaging and deployment	29
CHAPT	TER SIX: RECOMMENDATIONS AND CONCLUSION	30
6.0	Introduction	30
6.1	Summary of my work	30
6.2	Objectives Conclusion	30
6.3	Critical analysis of work	31
6.4	Recommendations for the future work	31
6.5	Conclusion	31
REFER	ENCES	32
APPEN	IDIX A: SAMPLE PROJECT SCREEN SHOTS	XXXV
APPEN	IDIX B: SAMPLE CODE DESIGN SCREEN SHOTS	V
APPEN	IDIX C: QUESTIONNAIRES	XIII

ABSTRACT

This project involves creating of a new way of accessing help on the Linux command-line based on the initial man pages, it provides encapsulations of commands, easy to access man pages, illustrations, tests and graphing analysis of progress. The main goal was to build a Linux command-line Tutor that speeds up the process of learning Linux command-line usage. This was done by reviewing literature and documents, collect and analyze requirements on Linux commands, interfaces and daemons, designing the system Qt interface and triggers, implementing system interface and link it to the Linux environment, Linux daemon and resources and testing and validating the command-line help options. Upon examination of this system in relation to the initial command-line help options, it was discovered to be easier to use as it has a graphical interface, it also narrowed the gap between command-line and graphical interface. This system will be used by newbie Linux users and those who are stuck and need help on a particular command.

CHAPTER ONE

INTRODUCTION

1.0 Introduction

This chapter gives an overview of the background of the title, the problem statement, main objective, specific objectives, the study significance and scope.

1.1 Background

This study focuses on the Linux as a rapidly growing operating system, [1]it's being used in over 40 great world institutions including NASA, U.S. Department of Defense and Federal Aviation Administration. According to James Wire Lunghabo, [2]the Uganda Linux User Group is spreading the use of Linux over many NGOs and the private sector.

Linux usage is highly characterized by its increased usage of the terminal due to ease of command interpretation and its powerfulness over other terminals, however this terminal usage comes with a high price of memorizing, studying and understanding the commands.

Most computer users today are only familiar with graphical user interface and have been taught by vendors and fellow users that the command-line is a very terrible thing [3], however a good command-line interface is a marvelously expressive way of communicating with the computer and putting to use detailed computing resources.

Linux is a freely distributed, multitasking and multiuser operating system that behaves like UNIX, Linus Torvalds a student at the University of Helsinki built the Linux kernel [4] and let other programmers add on to it using the software libraries they had built together producing the first Linux distribution. Since it was put together by various programmers it became open source, however this also gives it an advantage of being more powerful than windows in essence that it is highly customizable to fit a user's requirements, makes it of low cost and makes use of even low processing resources.

According to Mitchell Anicas, [5]a terminal emulator refers to a program that allows the use of a terminal in the graphical interface, terminal emulators are usually confused for

terminals although they carry out the same task. Linux terminals work hand in hand with the shell which interprets user's commands and script files and tells the operating system what to do with them. When working with Linux servers, usage of the Linux terminal is not optional.

In comparison to the graphical user interface of Linux, the terminal is more advantageous in that command-line users only need the keyboard to navigate the command-line making it faster, command-line uses less resources in terms of RAM and processing power, it can also automate tasks through scripts, remote access to a machine can only be done over the command-line interface and many more advantages.

However the command-line usage has a very great drawback of making mistakes and requiring a high degree of memorization and familiarity for navigation and operation hence new users find it difficult to use command-line environments.

1.2 Problem Statement

Many Windows to Linux migrants, Linux users, students and a few Linux networking administrators face the problem of quickly learning Linux command-line usage, this limits them when they are required to carry out major tasks using the Linux command-line.

1.3 Objectives

1.3.1. Main objective

To build a Linux command-line Tutor that speeds up the process of learning Linux command-line usage.

1.3.2. Specific objectives

- To review literature and documents, collect and analyze requirements on Linux commands, interfaces and daemons.
- ii. To design the system Qt interface and triggers.
- iii. To implement system interface and link it to the Linux environment, Linux daemon and resources.
- iv. To test and validate the command inputs and options.

1.4 Justification

With Uganda's joining of the Linux Professional Institute, Mr. Johnson Olubi the introduction of the LPI program into universities and schools [6], Busitema University already having a Linux related course unit called Systems Programming requires students to have exquisite knowledge on the Linux command-line usage, however many of these students are encountering Linux for the first time and face a problem of coming up to speed with the command-line usage.

The system therefore creates a new way of learning to use the Linux command-line and also offer an educational platform for studying the Linux command-line. This also helps to ease the process of getting acquainted with the Linux command-line for the Linux users.

1.5 Scope

1.5.1 Technical Scope

This project works specifically on a desktop version of a Linux distribution for example Ubuntu 14.04 Desktop version since it is a graphical user interface application and not limited to only terminal and supports the retrieval of Linux terminal resources and commands to be used as variables during its run time.

It was specifically designed to use the bash (Bourne-Again shell) Linux command-line interpreter since it's the most commonly used command-line interpreter in preference to ksh and csh.

1.5.2 Time scope

This system was developed in a period of 8 months.

REFERENCES

- [1] Compare Business Products, "50 Places Linux is Running That You Might Not Expect," Compare Business Products, 23 March 2010. [Online]. Available: http://www.comparebusinessproducts.com/fyi/50-places-linux-running-you-might-not-expect. [Accessed 30 October 2015].
- [2] J. W. Lunghabo, "Uganda Takes on Free and Open Source Software," New Vision, 17 October 2014. [Online]. Available: http://www.newvision.co.ug/news/366blogger-uganda-takes-on-free-and-open-source-software.aspx. [Accessed 30 October 2015].
- [3] J. William E. Shotts, THE LINUX COMMAND LINE A Complete Introduction, San Francisco: William Pollock, 2012.
- [4] S. V. Vugt, Beginning the Linux commandline, New York: Appress, 2009.
- [5] M. Anicas, "An Introduction to the Linux Terminal," DigitalOceanTM Inc, 14 November 2014. [Online]. [Accessed 13 November 2015].
- [6] Balancing Act Africa, "Nigeria and Uganda to join Linux professional Institute," Balancing Act, [Online]. Available: http://www.balancingact-africa.com/news/en/issue-no-376/computing/nigeria-and-uganda-t/en. [Accessed 30 October 2015].
- [7] Tutorialspoint, "Operating System Linux," Tutorialspoint, [Online]. Available: http://www.tutorialspoint.com/operating_system/os_linux.htm. [Accessed 24 October 2015].
- [8] J. R.Levine and M. L. Young, "Bourne and Bourne-Again Shells," in *UNIX for Dummies 5th Edition*, Wiley Publishing Inc, 2004, pp. 25-26.
- [9] E. Nemeth, G. Snyder and T. R. Hein, "Daemons," in *Linux Administration Handbook 2nd Edition*, Stoughton, 2007, pp. 885-903.

- [10] N. Robinson, "LinuxCommand.org:Reading Man pages," Free Software Foundation, 2003. [Online]. Available: http://www.linuxcommand.org/reading_man_pages.php. [Accessed 6 October 2015].
- [11] C. Negus and F. Caen, "Fedora Linux Toolbox:1000+ commands for Fedora, Centos and RedHat power users," in *Fedora Linux Toolbox:1000+ commands for Fedora, Centos and RedHat power users*, Indianapolis,Indiana, Wiley Publishing Inc, 2008, p. 9.
- [12] L. CodeSourcery, M. L. Mitchell, A. Samuel and J. Oldham, Advanced Linux Programming, Boston, Indianapolis, London, Munich, New York, San Francisco: New Riders Publishing, 2001.
- [13] "Software Carentry:Man pages," [Online]. Available: www.swcarentry.com.github.io/shell-extras/01-man-pages.html.
- [14] R. W. Smith, Linux Essentials, Indianapolis: Wiley Publishings, 2012.
- [15] V. Stanfield and R. W. Smith, Linux System Administration, United States of America: SYBEX Inc, 2002.
- [16] N. Barkakati, "Suse Linux 10 for dummies," in *Suse Linux 10 for dummies*, Wiley Publishing Inc, 2006, p. 332.
- [17] B. McCarthy, "Learning RedHat Linux," in *Learning RedHat Linux*, O'Reilly and Associates Inc, 2003,2002,1999, p. 127.
- [18] Linux Information Project, "How to use the apropos command," Linux Information Project, 26 December 2004. [Online]. Available: www.linuxinfo.org/apropos.html. [Accessed 24 October 2015].
- [19] Anthoniraj, "Basic Linux Commands," Anthoniraj's Blog, 5 April 2010. [Online]. Available: www.anthoniraj.com/basic-linux-commands-apropos and cd/. [Accessed 24 October 2015].

- [20] D. Bandel, "Linux Journal," Linux Journal, 30 October 1996. [Online]. Available: www.ipst-info.net/download/LinuxJournal/LJ/030/1329.html. [Accessed 2015 October 2015].
- [21] M. Palmer, "Guide to UNIX using Linux 4th Edition," in *Guide to UNIX using Linux*, Bouston Massachutes, 2008, pp. 21-22.
- [22] N. Barkakati, "Red Hat Fedora Linux Secrets," in *Red Hat Fedora Linux Secrets*, Indianapolis, Indiana, Wiley Publishing Inc, 2005, pp. 182-183.
- [23] M. Garrels, "Introduction to Linux a Beginners Guide 3rd Edition," in *Introduction to Linux a Beginners Guide*, Futus Corporation, 2002-2010, p. 44.
- [24] R. B. Dee-Ann LeBlanc, "Linux for Dummies 8th Edition," in *Linux for Dummies*, Wiley Publishing, 2007, p. 89.
- [25] C. Hoffman, "Use Tab Completion to Type Commands Faster on Any Operating System," 25 August 2014. [Online]. Available: http://www.howtogeek.com/195207/use-tab-completion-to-type-commands-faster-on-any-operating-system/. [Accessed 24 October 2015].
- [26] J.Purcell, Linux Comlete command Reference, Indianapolis: Macmillan Computer Publishing, 2000.