FACTORS THAT HAVE LED TO DECLINE OF SORGHUM PRODUCTION AMONG SMALL SCALE FARMERS

A CASE STUDY OF NABISWA SUB COUNTY- KIBUKU DISTRICT

BY

MUSWANE JONATHAN

BU/UP/2018/2890

A RESEARCH REPORT SUBMITTED TO THE DEPARTMENT OF AGRICULTURE, FACULTY OF SCIENCE IN PARTIAL FULFILLMENT OF REQUIREMENTS FOR THE AWARD OF BACHELOR'S DEGREE OF SCIENCE EDUCATION

MAY 2022

DECLARATION

| I MUSWANE JONATHAN declare that this research report is my original work and to the best |
|--|
| of my knowledge. The research report has never been presented for any award of degree or |
| diploma in any other institution of learning. |
| |
| |

Signature....... Date......

APPROVAL

This is to certify that this research report entitled factors that have led to decline in sorghum production among small scale farmers in Nabiswa SubCounty, Kibuku District submitted in partial fulfillment of the requirement for award of degree of Bachelor of Science Education of Busitema University is authentic record of bonafied research work carried out by MUSWANE JONATHAN (BU/UP/2018/2890) under my guidance and supervision. This research report has never been submitted for any other degree or diploma award in any learning institution.

| Signatu | re: | | | | | |
|---------|-----|------|------|------|------|------|
| | | | | | | |
| Date: | | | •••• | | •••• | |

Mr. OGUZU EVANS

SUPERVISOR

DEDICATION

This work is dedicated to my beloved parents, Mr. Namboga Peter and Mrs. Kagino Albin who contributed much in my education.

This work is also dedicated to, my brother Kirongosa Kenneth and all other beloved family members like Katooko Suzan, Teddy, Katinde Francis for their courage and compassion and love they showed to me during my studies.

ACKNOWLEDGEMENT

I thank the almighty God for enabling me during all my study until this moment of accomplishing my studies, for I understand that without his will I could not be able to reach this crucial stage.

I would like to express my sincere appreciation to my supervisor Mr. OGUZU EVANS and all other lecturers mostly in Agriculture department MR DRAMADRI GERALD AFAYO, MR OCHAN MARTIN LUTHER, MR ONGUA FANUEL, PROFESSOR AKANGAH VICTOR for wise advice and tireless guidance during all the period of my studies. I really appreciate them for consultation and without them, my academic dreams would not become a reality.

I would like to thank the Village Executive Officers (VEO) at Nabiswa Sub County for the warm welcome and for introducing me to the Villages and introducing me to the farmers in the villages surveyed. I would like to thank them for their cooperation and allowing me conduct the research in their areas.

I would like to extend my thanks to small scale farmers in all villages in Nabiswa Subcounty to whom questionnaires were administered, for their co-operation when I was gathering information required for the present study.

Lastly, but not least, I would like to pass my thanks to my beloved Parents, MR, NAMBOGA PETER and MRS KAGINO ALBIN, brother KIRONGOSA KENNETH and other family members, and my friends, NAMUSOBYA ALIVEN FLORENCE, JANJA MOSES, DYOGO JOHN, NAMULEMU NICOLOUS, MWIRAGUZU CHARLES, All my third year Agriculture classmates. I thank all mentioned people for their moral, spiritual, financial and material support, patience and encouragement which in one way or another made my study to be successful. It is not easy to mention all who contributed in one way or another in making this work done but I say thank you to all of you. And may the almighty God bless you.

Table of content

| Declaration | I |
|--|--------------------------|
| Approval | 11 |
| Dedication | 111 |
| Acknowledgements | lV |
| Abstract | V |
| Acronyms | VI |
| 1.0 Chapter one: Introduction | |
| FAO Food and Agricultural organization | xii |
| 1.1 BACKGROUND | 1 |
| 1.2 Brief Statement of Problem | 3 |
| 1.3 Objectives Of The Research | 4 |
| 1.3.1 Broad Objective. | 4 |
| 1.4 Justification | 4 |
| 1.5 Hypothesis | 4 |
| 1.6 Research Questions. | 5 |
| 1.7 Scope of the study. | 5 |
| 1.8 Signicance of the study. | 5 |
| 2.1 Background and global production | 7 |
| 2.2 Utilization and importance. | 8 |
| 2.3 Sorghum production in Uganda | 9 |
| 2.4 Sorghum growing areas in Uganda | 9 |
| 2.5 FACTORS FOR LOW SORGHUM PRODUCTION (| CONSTRAINTS) AND CONTROL |

| | 2.5.1 Abiotic factors | 10 |
|---|--|----|
| | 2.5.2 Biotic factors | 11 |
| | Fall armyworms | 13 |
| | 2.6 Strategies and measures to increase sorghum production | 14 |
| | 3.1 Introduction | 16 |
| | 3.2 Study Area | 16 |
| | 3.3 Location. | 16 |
| | 3.4 Rain fall | 17 |
| | 3.5 Temperature and relative Humidity | 17 |
| | 3.6 Population | 17 |
| | 3.7 Research design | 17 |
| | 3.8 study population | 17 |
| | 3.9 Sampling procedure | 17 |
| | Sample size and sample size determination. | 18 |
| | Sampling Technique | 18 |
| | Table 2: Sample Size | 18 |
| C | CHAPTER FOUR: | 20 |
| 4 | .0 DATA ANALYSIS, PRESENTATION, AND DISCUSSION | 20 |
| | 4.1 Introduction | 20 |
| | 4.2 Questionnaire Return Rate | 20 |
| | 4.3 Demographic characteristics of the respondents | 20 |
| | Table 3: Respondents by Gender | 20 |
| | 4.3.1 Age of the respondents. | 21 |
| | 4.3.2 Respondents' level of Education | 22 |
| | Table 6: Importances of sorghum | 24 |

| | Table 7: Factors that have led to the decline of Sorghum production | 25 |
|---|--|----|
| | 4.4.1 Limited extension services | 26 |
| | 4.4.2 Decline in soil fertility. | 26 |
| | 4.4.3 Fall Army Worms(FAW) | 27 |
| | 4.4.4 Striga weeds | 27 |
| | 4.5 STRATEGIES AND MEASURES TO INCREASE SORGHUM PRODUCTION AMONG SMALL SCALE FARMERS IN NABISWA SUBCOUNTY. | 27 |
| 5 | .0 SUMMARY OF FINDINGS, CONCLUSIONS AND RECOMMENDATIONS | 30 |
| | 5.1 Introduction | 30 |
| | 5.2 Summary of the Findings | 30 |
| | 5.3 Importance of sorghum | 30 |
| | 5.4 Factors that have led to decline of sorghum production | 30 |
| | 5.5 Strategies to overcome the constraints faced by small scale sorghum farmers | 31 |
| | 5.6 Conclusions | 31 |
| | 5.7 Recommendations | 32 |
| | 5.7.1 Policy recommendation | 32 |
| | 5.7.2 Recommendation for further studies | 33 |

List of Tables

| Table 1: sample size determination. | 28 |
|--|----|
| Table 2: Sample size | 29 |
| Table 3: Respondents by Gender | 30 |
| Table 4: Age of Respondents. | 33 |
| Table 5: Education level of Respondents | 34 |
| Table 6: Importance of sorghum | 35 |
| Table 7: Factors that led to decline in sorghum production | 37 |
| Table 8: Strategies for increasing sorghum production | 39 |

List of Figures

| Figure 1: pie chart showing gender of respondents. | 32 |
|---|-----|
| Figure 2: Bar graph showing age of respondents | 33 |
| Figure 3: Bar graph showing Education level of Respondents. | 35 |
| Figure 4: Apie chart showing importance of sorghum. | 36 |
| Figure 5: A bar graph showing Factors that led to decline in sorghum production | 38 |
| Figure 6: A bar graph showing strategies to increase sorghum production | .40 |

ABSTRACT

This research study was about finding factors for low sorghum production in Nabiswa Subcounty former part of large Kirika Subcounty. The small scale sorghum farmers in Nabiswa Subcounty have been cultivating sorghum over the years for household food consumption. The production of the crop had lower yields in the recent years within the study area. Sorghum is known as a food security crop and its ability to withstand dry weather conditions.

The objective of this study was to get information about the factors for low sorghum production and give recommendations to increase sorghum production

To answer this, the following research question and sub-questions were formulated:

What are the importances of sorghum production among small scale farmers? What are the factors leading to the decline of sorghum production in Nabiswa Subcounty in Kibuku district? What are the strategies to increase sorghum production among small scale farmers in Nabiswa Subcounty in Kibuku district?

A qualitative cross sectional survey design was used to collect data from the respondents. The sampling technique used was random sampling where 30 respondents were selected to participate in the study and were given well prepared questionnaires. Data was analyzed using Microsoft Excel software and it was found out that source of food was the major importance of sorghum, decline in soil fertility, was the main factor that have led to decline in sorghum production and the use of fertilizers was the major strategy to overcome constraints leading to decline in sorghum production. The research study concluded that the major strategy to overcome the problem faced by small scale sorghum farmers was use of fertilizers. The study

recommended that the Government should increase on number of extension workers to advise farmers in Nabiswa Subcounty.

ACRONYMS

FAO Food and Agricultural organization

MFPED Ministry of Finance Planning and Economic Development

IITA International Institute of Tropical agriculture

SOM Soil Organic Matter

SSA Sub Saharan Africa

FAW Fall Army Worms

CAN Calcium Ammonia Nitrogen

NPK Nitrogen Phosphorus potassium

DAP Di-ammonium Phosphate

KARI Kenya Agricultural Research Institute

TARA Trust for African Rock art

MT. Metric Tonnes

USAID United State Agency International for Development

U.S. United States

FAOSTAT Food Agricultural Organization Statistics

ICRISAT. International Crop Research Institute for the Semi-Arid Tropics

ECA. Eastern and Central Africa

ECARSAM. Eastern and Central Africa regional Sorghum and Millet

GDP. Gross Domestic per Capita

MoA. Ministry of Agriculture

DFID Department for International Development
ILRI International Livestock Research Institute

ASARECA Association for Strengthening Agricultural Research in Eastern and Central

Africa

SLF Sustainable Livelihood Framework

NaSARRI-NARO National Semi Arid Resources Research Institute of the National

Agricultural Research Organisation

1.0 CHAPTER ONE: INTRODUCTION

1.1 BACKGROUND

Sorghum (Sorghum bicolor (L.) Moench) is the world's fifth most important cereal in terms of production and area of coverage (FAO and ICRISAT, 1996) after wheat, rice, maize and barley. The cereal is an important food crop in semiarid areas of subSaharan Africa (Wortmann et al., 2009); being the second most important after maize in Africa and the third in Eastern Africa after maize and finger millet.

Sorghum (Sorghum bicolor L. Moench) is native to the tropical areas of Africa. The oldest cultivation records date back to 3000 B.C. in Egypt. Sorghum is produced throughout the tropical, semi-tropical and arid regions of the world. The crop is a self-pollinating plant and its drought tolerance is higher than that of corn. It is a member of the grass family graminea and can be categorized into four groups by application, i.e. grain, sweet, broom sorghum or grass sorghum. Grain sorghum is mainly used as a principal food in tropical areas and often used as raw material for alcoholic beverages, sweets and glucose. Broom sorghum on the other hand is for making brooms while sweet and grass sorghum is used to make sweetener syrup and green feed (U.S Grain Council, 2010). Sorghum is one of the most important drought tolerant crops and is often referred to as the camel of the plant kingdom (Fetene et al., 2011). The plant has for a long time been noted to be the most important cereal for human consumption surpassed only by maize, wheat, rice and barley (Dicko et al., 2006; Akram et al., 2007). It is reported to be one of the main staple food crops for the world's poorest and food insecure people (Timu et al., 2012). Sorghum is a globally cultivated cereal unique due to its tolerance to drought, water logging and saline-alkali infertile soils and high temperature (Taylor, 2003). The potential of sorghum to catalyze regional development and improve food security is considerably high. Farmers in the semi-arid areas often prefer to grow maize since it is less labour intensive and there is often a ready market.

Sorghum varieties in Kenya; Drought events associated with climate change and climate variability have become more pronounced in Kenya in recent years adversely affecting the lives and livelihoods of smallholder farmers in ASALs (Miano et al., 2010). In terms of tonnage, sorghum has been reported to be Africa's 2nd most important cereal. The continent produces about 20 million tons of sorghum per annum which accounts for a third of the total global

REFERENCES

Board on Science and Technology for International Development, Office of International Affairs, National Research Council.1996. Lost Crops of Africa: Vol 1: Grains. The National Academy Press, Washington, DC. http://www.nap.edu/openbook.php?isbn=0309049903&page=127 Accessed June 2013).

Devries, J., and G. Toenniessen. 2001. Securing the Harvest. Biotechnology, Breeding and Seed Systems for African Crops. CABI Publishing, Wallingford, UK.

Dillon, S. L., Shapter, F. M., Henry R.J., Cordeiro, G., Izquierdo, L., and Lee, L. S. (2007).

Doggett, H. 1988. Sorghum 2nd Edition, Tropical Agricultural Series. Longman Scientific, Essex, UK.

Doggett, H. 1988. Sorghum, 2nd Edition. Longman Scientific and Technical, London, PP 1-3.

Frederiksen, R.A. 1986. Compendium of Sorghum Diseases. American Psychopathological Society Publication, St Paul, MN, USA.

FAOSTAT data. 2005. http://faostat.fao.org

FAO. 1995. Sorghum and Pearl Millets in Human Nutrition. Food and Agriculture Organization of the United Nations (FAO) Press, Rome, Italy.

FAO. 1996. The World Sorghum and Millet Economies: Facts, Trends and Outlooks. FAO Press, Rome, Italy.

FAOSTAT (2008). FAOSTAT-Agriculture, Production, Crops. http://faostat.fao.org

FAOSTAT Data. 2005. http://faostat.fao.org

FAO. 2005. The State of Food Insecurity in the World. FAO Press, Rome, Italy.

FAOSTAT 2008. FAOSTAT-Agriculture, Production, Crops. http://faostat.fao.org

Government of Kenya. 2007. The Vision 2030: A competitive and Prosperous Kenya. Ministry of Planning and National Development. Government Printer. Nairobi.http://drylandseed.com/index.php?option=com_content&view=article&id=12&Itemid=10.

Kothari, C. R. (2004). Research Methodology: Method and Techniques: 2nd Ed. New Age Int. (p) Ltd. Level technology. Maize Production in Java ion Technology

J.R.N. TAYLOR 2003. Overview: Importance of Sorghum in Africa. In: AFRIPRO Workshop

on the Proteins of Sorghum and Millets: Enhancing Nutritional and Functional Properties for Africa.

Taylor, J., K., N., (2003). Overview: Importance of Sorghum in Africa. In: Afripro: Workshop on the Proteins of Sorghum and Millets: Enhancing Nutritional and Function Properties for Africa.

Rodenburg, J., Bastiaans, L., Weltzein, E., and D.E. Hess. 2004. How can Field Selection for Striga Resistance and Tolerance in Sorghum be Improved? Field Crops Research 93: 34 – 50. Watson, A.K., and J. Kroschel. 1998. General news: fungal pathogens for Striga control. Biocontrol News and Information 19(2): 15 – 19.