

P.O.Box 236, Tororo Gen:+256-454448842 Dir: +256-454448864 Mob: +256-782999874 Fax: +256-454436517 Email:ar@acadreg.busitema.ac.ug Website:www.busitema.ac.ug

MANAGEMENT PRACTICES AFFECTING GOAT PRODUCTION IN KADUNGULU SUB COUNTY, SERERE DISTRICT



BY **OKIRING ISAAC** BU/UP/2012/307 joxokizacs@gmail.com

A DISSERTATION SUBMITTED TO THE FACULTY OF AGRICULTURE AND ANIMAL SCIENCE IN PARTIAL FULFILMENT OF THE REQUIREMENT FOR THE AWARD OF THE DEGREE OF BACHELOR OF ANIMAL PRODUCTION AND MANAGEMENT OF BUSITEMA UNIVERSITY

JUNE, 2015

DECLARATION

I OKIRING ISAAC, declare that this dissertation is original and has not been submitted to
another university or any other institution of learning for any academic award.
Signature Date 19/08/2015
APPROVAL
This dissertation has been submitted for examination with the approval of my supervisor;
DR. MATOVU HENRY.
Lecturer
Department of Animal Production and Management,
Faculty of agriculture and animal sciences
Busitema University.
Signature

DEDICATION

This dissertation is dedicated to my beloved parents Mr. Olupot William and Mrs. Tino Betty for their tireless effort towards my education. I further dedicate it to my siblings William, Joshua, Daniel, Stella, Fiona and Rachael.

ACKNOWLEDGEMENT

I would like to express my sincere gratitude and heartfelt thanks to my supervisor, Dr Matovu Henry for his guidance and correction of this manuscript from the very beginning to end. I extend my appreciation to my lecturers for the knowledge they accorded to me.

I further acknowledge my class mates, most especially Naika Vincent, Ogema James, Caku Benjamin and Tino Florence for the assistance they rendered to me during the preparation of this dissertation.

TABLE OF CONTENTS

DECLARATION	i
DEDICATION	ii
CHAPTER ONE: INTRODUCTION	1
1.1 Background	1
1.2 Problem statement	2
1.3 Main objective	3
1.4 Specific objectives	3
1.5 Research questions	3
1.6 Significance of the study	3
1.7 Justification of the study	4
1.8 Scope of the study	4
2.1. Distribution of Goats in Uganda	5
2.2 Description of goat types in the study area	5
2.3. Importance of Goats in Uganda	6
2.4 Goat production systems in Uganda	7
2.4.1. Tethering system	7
2.4.2 Open grazing	7
2.4.3 Semi-intensive management system	7
2.4.4 Zero grazing	7
2.5 Factors affecting increased goat production in rural areas	
2.5.1 High prevalence of diseases and parasites	8
2.5.2 Low levels of management	8
2.5.3 Limited forage availability	.0

CHAPTER THREE: MATERIALS AND METHODS	10
3.1 Study area	10
3.2 Research approach	10
3.3 Sampling design	10
3.4 Operational design	11
3.6 Statistical design	11
3.7 Data Presentation	11
3.8 Ethical considerations	11
3.8. Environmental consideration	J. }
CHAPTER FOUR: PRESENTATION OF RESULTS	12
4. 1 Health management practices	12
4. 2 Feeding practices	14
4. 3 Breeding practices	14
4. 4 Housing management practices	1Ś
CHAPTER FIVE: DISCUSSION OF RESULTS	16
CHAPTER SIX: CONCLUSION AND RECOMMENDATION	19
6.1 Conclusion	19
6.2 Recommendation	19
REFERENCES	20
APPENDICES	23
Appendix one: Questionnaire	

LIST OF TABLES

Table 1: Showing health management practices in Kadungulu Sub County12	2
Table 2: Showing feed supplementation and forage conservation in Kadungulu Sub County 14	4

LIST OF FIGURES

Figure 1: Showing the frequency of spraying goats against external parasites in Kadungulu S	lub
County	.13
Figure 2: Showing the frequency of vaccination of goats against diseases in Kadungulu S	Sub
County	.13
Figure 3: Showing the different forms of goat housing in Kadungulu Sub County	.15

LIST OF ABBREVIATIONS

FAO Food and agriculture organization

MAAIF Ministry of Agriculture, Animal Industry & Fisheries

NAADS National Agricultural Advisory services

NGO Non Governmental Organization

NUSAF Northern Uganda Social Action Fund

UBOS Uganda Bureau of Statistics

ABSTRACT

Goat production has become a common trend in rural communities whereby a number of people rear goats for social and economic reasons. Despite the advantages associated with goat production, effective rural production of goats is greatly challenged by a number of factors. Based on this, the study was conducted to identify management practices limiting effective goat production in Kadungulu Sub County.

Semi structured questionnaires were administered to goat producers in the study area. One hundred ten respondents were randomly selected from the parishes of Kagwara, Kabulabula, Kadungulu and Iruko in Kadungulu Sub County, Serere district. Data was analyzed using the Statistical Package for Social Sciences (SPSS) version 16.

Four point one percent of the respondents dewormed their goats every three months while 41.1%, 39.7% and 15% dewormed goats when sick, yearly, every six months respectively. Most of the respondents (78.2 %) controlled external parasites whenever they saw them on the skin of their goats.

Provision of supplements to goats was only done by 26.4% of the respondents and the main supplements were crop residues (91.8%), and mineral leak (8.2%).

Most of the respondents (76.4%) did not have a breeding buck and resorted to borrowing (51.2%), taking the female to someone's male for breeding (36.6%) and leaving the females to look for the male on their own (12.2%). Housing of goats was mainly on the verandas of residential houses (75.5%).

It was therefore concluded that parasite and disease control in the study area was generally poor. The goats mainly fed on natural pastures with limited supplementation and most of the respondents did not own a breeding buck. Housing of goats was mainly on the verandas of residential houses with irregular cleaning

The findings from this survey call for extension efforts directed at improved management and disease control strategies.

CHAPTER ONE: INTRODUCTION

1.1 Background

Goats are the second most important livestock to cattle in socio-economic contribution to the livestock sector of the agriculture GDP of Uganda, accounting for 8% of the total red meat production (Lapenga, Ebong, & Opuda-Asibo, 2009). The biggest growth in goat populations in sub-Saharan Africa is in smallholder mixed farming systems in the highlands of East Africa (C Peacock, 2005). The goats in Uganda, like in several developing countries, are a source of meat, milk and income, hence ensuring nutrition and food security and, they are a source of insurance against vagaries of nature like total crop failure (I. Kosgey, Rowlands, Van Arendonk, & Baker, 2008).

The goat (capra hircus) is considered one of the key enterprises in poverty alleviation because of the low start-up capital and maintenance costs, ability to survive on marginal land and crop residues and thus can easily be integrated in the crop-livestock production system under most smallholder systems in Uganda. Moreover, the goat can readily produce usable quantities of milk and meat using family labour especially from women and children for the routine management activities (C Peacock, 2005).

The goat population in Uganda is dominated by indigenous breeds mainly comprised of Kigezi, Mubende and Small East African (SEA) goats. The indigenous goats make up approximately 98% of the total goat population of 12.5 million (MAAIF, 2009). They are characterized by slow growth, small carcass weight and are generally not improved for commercial meat production.

The developing countries of the world like Uganda have a daily animal protein intake that is below the Food and Agriculture Organization standard of 35 g/caput/day (FAO, 1990) a problem occasioned by low production of livestock as population increases. For an improved animal protein intake, there is need for improvement in the production of meat and other protein sources from the livestock industry. Goats offer a great potential in this respect due to their relative ease of breeding, management, ability to subsist on forages, hardiness, adaptation to a wide range of ecological zones and distribution among others.

According to Smith (1996), goat production has become one of the major food producing activities. There is, however, the need for more concrete and empirical information on factors affecting production and management of goats in Kadungulu Sub County. The information

CHAPTER SIX: CONCLUSION AND RECOMMENDATION

6.1 Conclusion

Parasite and disease control among the respondents in the study area was generally poor. The goats mainly fed on natural pastures with limited supplementation and most of the respondents did not own a breeding buck. Housing of goats was found to be mainly on earthen floor on the verandas of residential houses with irregular cleaning

6.2 Recommendation

- The findings from this survey call for extension efforts directed at improved management and disease control strategies.
- Creation of awareness among farmers on goat health management practices and on feeds supplementation strategies especially during the dry season of the year should be due in place.



REFERENCES

- Ampaire, A., & Rothschild, M. (2010). Effects of training and facilitation of farmers in Uganda on livestock development. Livestock Research for Rural Development, 22(7), 12-18.
- Baker, R., Mwamachi, D., Audho, J., Aduda, E., & Thorpe, W. (1998). Resistance of Galla and Small East African goats in the sub-humid tropics to gastrointestinal nematode infections and the peri-parturient rise in faecal egg counts. *Veterinary Parasitology*, 79(1), 53-64.
- Bakshi, M., & Wadhwa, M. (2007). Tree leaves as complete feed for goat bucks. *Small Ruminant Research*, 69(1), 74-78.
- Chenyambuga, S., Hanotte, O., Hirbo, J., Watts, P., Kemp, S., Kifaro, G., et al. (2004). Genetic characterization of indigenous goats of Sub-Saharan Africa using microsatellite DNA markers. ASIAN AUSTRALASIAN JOURNAL OF ANIMAL SCIENCES, 17(4), 445-452.
- Chikwanda, A. T. (2012). Characterisation of goat production systems and productivity in Rushinga Communal area, Zimbabwe.
- Devendra, C. (2005). Small ruminants in Asia; Contribution to food security, poverty alleviation and opportunities for productivity enhancement. Paper presented at the Proceeding of international workshop on small ruminant production and development in South East Asia. MEKARN, Nong Lam, HCMC, Vietnam.
- Githiori, J. B., Athanasiadou, S., & Thamsborg, S. M. (2006). Use of plants in novel approaches for control of gastrointestinal helminths in livestock with emphasis on small ruminants. Veterinary Parasitology, 139(4), 308-320.
- Kosgey, I., Rowlands, G., Van Arendonk, J., & Baker, R. (2008). Small ruminant production in smallholder and pastoral/extensive farming systems in Kenya. Small Ruminant Research, 77(1), 11-24.
- Kosgey, I. S. (2004). Breeding objectives and breeding strategies for small ruminants in the tropics: Wageningen Universiteit.
- Kristjanson, P., Krishna, A., Radeny, M., & Nindo, W. (2004). Pathways out of Poverty in Western Kenya and the Role of Livestock.
- Kusina, J., & Kusina, N. (1999). Feasibility study of agricultural and household activities as they relate to livestock production in Guruve District of Mashonaland Central Province with

- emphasis on poultry production. Household Agricultural Support Program Report, Harare, Zimbabwe.
- Lapenga, K., Ebong, C., & Opuda-Asibo, J. (2009). Effect of feed supplements on weight gain and carcass characteristics of intact male Mubende goats fed elephant grass (Pennisetum purpureum) ad libitum in Uganda. J Anim Vet Adv, 8(10), 2001-2008.
- MAAIF, U. (2009). National Livestock Census Report 2008. Ministry of Agriculture, Animal Industry and Fisheries (MAAIF), Entebbe/Uganda Bureau of Statistics, Kampala, Uganda.
- Mahusoon, M., Perera, A., Perera, E., & Perera, K. (2004). Effect of Molybdenum Supplementation on Circulating Mineral Levels, Nematode Infection and Body Weight Gain in Goats as Related to Season.
- Matthewman, R. W. (1980). Small ruminant production in the humid tropical zone of southern Nigeria. *Tropical Animal Health and Production*, 12(4), 234-242.
- Mpofu, N. (2002). Choice of genetic types for specific production environments and production systems. Zabelo Livestock Consultancy. Bulawayo. Zimbabwe.
- Ng'ambi, J. (2012). The role of goats in food supply, poverty alleviation and prosperity in Sub-Saharan Africa. College of Agriculture and Environmental Sciences. Consultado em, 9(09), 2014.
- Ngambi, J., Alabi, O., & Norris, D. (2013). Role of goats in food security, poverty alleviation and prosperity with special reference to Sub-Saharan Africa: a review. *Indian Journal of Animal Research*, 47(1), 1-9.
- Njanja, J., Gathuma, J., Gitau, G., Njeruh, F., & Kinuthia, R. (2003). Pastoralists' perception of livestock production systems and opportunities for improvement in Southwestern Marsabit, Kenya.
- Peacock, C. (1996). Improving goat production in the tropics: a manual for development workers: Oxfam.
- Peacock, C. (2005). Goats—A pathway out of poverty. Small Ruminant Research, 60(1), 179-186.
- Raghuvansi, S., Tripathi, M., Mishra, A., Chaturvedi, O., Prasad, R., Saraswat, B., et al. (2007). Feed digestion, rumen fermentation and blood biochemical constituents in Malpura rams

- fed a complete feed-block diet with the inclusion of tree leaves. Small Ruminant Research, 71(1), 21-30.
- Randolph, T., Schelling, E., Grace, D., Nicholson, C. F., Leroy, J., Cole, D., et al. (2007). Role of livestock in human nutrition and health for poverty reduction in developing countries.

 Journal of animal science, 85(11), 2788-2800.
- Saico, S. S., & Abul, S. (2007). Socio-economic constraints on goat farming in the lowveld of Swaziland-A case study of Matsanjeni. *Journal of sustainable development in Africa*, 9(3).
- Salem, H. B., & Smith, T. (2008). Feeding strategies to increase small ruminant production in dry environments. *Small Ruminant Research*, 77(2), 174-194.
- Semakula, J., Mutetikka, D., Kugonza, D. R., & Mpairwe, D. (2010). Comparison of breeding systems by smallholder goat keepers in the humid, sub-humid and semi arid agroecological zones of Uganda.
- Speedy, A, W. (2003). Global production and consumption of animal source foods. *The Journal of Nutrition*, 133(11), 4048S-4053S.
- Tefera, A. N., Gayathri, M., Emmanuel, M., Clerkson, M., Margaret, M., Chrispen, M., et al. (2004). GOATS PRODUCTION AND LIVELIHOOD SYSTEMS IN SEKHUKHUNE DISTRICT OF THE LIMPOPO PROVINCE, SOUTH AFRICA Opportunities for commercialising goats and their by-products. WORKING DOCUMENT SERIES-INTERNATIONAL CENTRE FOR DEVELOPMENT ORIENTED RESEARCH IN AGRICULTURE.
- Vatta, A., Krecek, R., Letty, B., Van der Linde, M., Motswatswe, P., & Hansen, J. (2002). Effect of nematode burden as assessed by means of faecal egg counts on body condition in goats farmed under resource-poor conditions in South Africa. *Veterinary Parasitology*, 108(3), 247-254.
- Verbeek, E., Kanis, E., Bett, R., & Kosgey, I. (2007). Socio-economic factors influencing small ruminant breeding in Kenya.