



FACULTY OF AGRICULTURE AND ANIMAL SCIENCES

DEPARTMENT OF ANIMAL SCIENCES

**PREVALENCE OF HYDATIDOSIS IN GOATS AND SHEEP SLAUGHTERED
AT IGANGA MUNICIPAL COUNCIL ABATTOIR.**

BY

NJUBA DENIS

BU/UP 2020/1533

**DISSERTATION SUBMITTED TO THE DEPARTMENT OF ANIMAL SCIENCES IN
PARTIAL FULFILLMENT OF THE REQUIREMENT FOR THE AWARD OF THE
DEGREE OF BACHELOR OF SCIENCE IN ANIMAL PRODUCTION AND
MANAGEMENT OF BUSITEMA UNIVERSITY**

FEBRUARY 2024

DECLARATION

I, Denis Njuba hereby declare that this dissertation is my original work and that it has never been presented to any other institution for an academic award or publication.


Signed: 

Date: 01/03/2024

APPROVAL

This proposal report has been submitted with approval of my academic

Mr. Mbogua Joseph

A handwritten signature in blue ink, appearing to read "Mbogua Joseph".

Signature.....

Date 01/03/2024

ACKNOWLEDGEMENTS

Firstly, I acknowledge my almighty GOD for blessing and protecting me and enabling me to complete this level of education

I am very grateful to my supervisors for their time, valuable comments, suggestions, patience, support and encouragement they rendered to me from the start of the proposal preparation to the final write up of this dissertation

Lastly, I wish to offer special thanks to my family, my parents and wife who were very supportive and owe my success to them. They made me realize my dream of acquiring this level of academic qualification.

LIST OF ABBREVIATIONS

Dr. : Doctor

E. : Echinococcus

Mr. : Mister

MAAIF: Ministry of Agriculture, Animal husbandry, Industry and Fisheries

UBOS : Uganda Bureau of standards.

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS.....	6
1.2 Problem Statement	13
1.3 Objectives of the study	13
1.3.1General Objective	13
1.3.2 Specific objectives	13
1.4 Justification of the study	13
1.5Significance of the study.....	13
1.6 Scope of the study.....	13
CHAPTER TWO	14
LITERATURE REVIEW	14
2.1 Hydatidosis	14
2.2 Species of Echinococcosis	14
Figure 01: Echinococcus multilocularis	15
Figure 02: Echinococcus soligartha	16
Figure 03: Echinococcus svogeli.....	16
Figure 04:The general lifecycle of echinococcosis.....	17
Figure 05: Morphology of hydatid cysts.....	18
Figure 06: Hydatid cyst in liver of sheep.....	18
Figure 07: Hydatid cyst in lungs of goat.....	19
2.3 Signs of hydatidosis	19
2.4 Species affected	19
2.5 Predilection sites	19
2.6 Public health importance	20
2.7 Prevention	20
2.7.1 Treatment	20
2.7.2 Conclusion of the literature review.....	20
CHAPTER THREE	21

MATERIALS AND METHOD	21
3.1 The study area.....	21
3.2 Study design.....	21
3.3 Study population/animals	21
3.4 Sampling	22
3.4.1 Sample size determination	22
3.4.2 Sampling technique.....	22
3.5 Data collection	22
3.5.1 Prevalence of hydatidosis in goats and sheep slaughtered.	23
3.5.2 Prevalence of hydatidosis by origin of affected animals	23
3.5.3 Prevalence by location of cysts.....	23
3.6 Data analysis	23
CHAPTER FOUR.....	24
RESULTS	24
Table 1. Socio-demographic factors in goats and sheep.....	24
Table 02 Prevalence by animal species	25
Table 03: Chi- square test for variation of prevalence with species	25
Table 04: Prevalence of the cysts by organ	26
Table 05: Chi square test for different locations of hydatid cysts	26
Table 07 Prevalence by origin in sheep	28
CHAPTER FIVE	29
DISCUSSIONS.....	29
5.1.1 Prevalence of hydatidosis in goats and sheep.....	29
5.1.2 Prevalence by sex of the affected animals	30
5.1.3 Prevalence of the hydatid cysts by organ.....	30
5.1.4 Prevalence by origin of the affected animals.....	30
5.2 CONCLUSION.....	31
5.3 RECOMMENDATIONS.....	31
REFERENCES.....	32
APENDIX.....	34
Figure 8 Hydatid cyst in the Liver of the Goat	35

Figure 9 Hydatid cyst in the intestine of the Goat	35
Figure 10 Hydatid cyst in the intestine the of sheep.....	36
Figure 11 Hydatid cyst on the Liver of a sheep	36

LIST OF TABLES

Table 1. Socio-demographic factors in goats and sheep.....	24
Table 02 prevalence by animal species.....	25
Table 03: Chi- square test for prevalence with species	25
Table 04: Prevalence by location of the cysts.....	26
Table 05: Chi square test for different locations of hydatid cysts	26
Table 06: Prevalence by origin of the affected animal	36
Table 07 Prevalence by origin in sheep	28

LIST OF FIGURE

Figure 01: Echinococcus multilocularis	15
Figure 02: Echinococcus soligartha	16
Figure 03: Echinococcus vogeli.....	16
Figure 04:The general lifecycle of echinococcosis.....	17
Figure 05: Morphology of hydatid cysts.....	18
Figure 06: Hydatid cyst in liver of sheep.....	18
Figure 07: Hydatid cyst in lungs of goat.....	19
Figure 8 Hydatid cyst in the Liver of the Goat.....	26
Figure 9 Hydatid cyst in the intestine of the Goat	35
Figure 10 Hydatid cyst in the intestine the of sheep.....	36
Figure 11 Hydatid cyst on the Liver of a sheep	36

CHAPTER ONE

1.1 BACKGROUND

Hydatidosis Is a global zoonotic infection(Akil et al., 2023)of economic importance that has been widely distributed in developing countries and predominant in herding communities where people live in close proximity with animals(Saleem et al., 2023).

Hydatid cysts are characterized by a sac-like bladder structure occupying tissues and organs(Matossian,2016). In addition, Four major species of medical and public health importance exist; *E. granulosus* (which causes cystic echinococcosis), *E. multilocularis* (which causes alveolar echinococcosis), *E. vogeli* and *E. oligarthrus* (which cause polycystic echinococcosis(Casulli et al.,2022)). Further more such disease requires public attention being zoonotic and man acquires it by eating meat that is not well prepared from the infected animals or gravid proglottids(vecchio et al., 2020)

Also, the hydatid cysts of *Echinococcus granulosus*, a mature dog tapeworm and its eggs are passed out via faecal matter into a favorable environment where they sporulate and are ingested by herbivores (sheep and goat), then man acquires it by eating meat that is not well prepared from the infected animals or gravid proglottids(vecchio et al., 2020)

Hydatid cysts have been determined in animal carcass of different species such as cattle, sheep, goats and pigs with a high incidence in sheep, followed by goats, cattle and lastly pigs(Founta et al., 2016), and affects both males and females (Brik et al., 2018).In addition, Hydatidosis is influenced by both biological and environmental factors; high humidity, proximity with dogs, swampy areas(Ghatee et al., 2020).

Research shows that this parasitic condition can be controlled by regular deworming of dogs to break the lifecycle of hydatid cysts and preventing dogs from mixing with goats and sheep.(panaftosa& paho/who, 2017).Hydatidosis can also be controlled in the abattoirs by proper inspection of animal carcasses done by well-trained veterinarians through total condemnations of infected carcasses and organs.(Production & Paper 2017).

REFERENCES

- Akil, M., Yilmaz, O., Ozturk, E., Altintas, N., & Unver, A. (2023). Distribution Map of *Echinococcus Granulosus* Sensu Lato Genotypes in Human Cases in Turkey: A Systematic Meta-Analysis. *International Journal of Echinococcoses*, 2(1), 1. <https://doi.org/10.5455/ije.2023.01.01>
- Almalki, E., Al-Quarishy, S., & Abdel-Baki, A. A. S. (2017). Assessment of prevalence of hydatidosis in slaughtered Sawakny sheep in Riyadh city, Saudi Arabia. *Saudi Journal of Biological Sciences*, 24(7), 1534–1537. <https://doi.org/10.1016/j.sjbs.2017.01.056>
- Alveolar echinococcosis*. (2021). 2021.
- Ashiraf, K., Council, I. M., Council, M., Located, I. S., & Approximately, L. (n.d.). ~i~e:r_sit~. April 2022.
- Aydin, Y., Ulas, A. B., Ahmed, A. G., & Eroglu, A. (2022). Pulmonary Hydatid Cyst in Children and Adults: Diagnosis and Management. *Eurasian Journal of Medicine*, 54, S133–S140. <https://doi.org/10.5152/eurasianjmed.2022.22289>
- Bekçi, T. T. (2012). Diagnosis and treatment of human hydatid disease. *European Journal of General Medicine*, 9(1 SUPPL.), 15–20. <https://doi.org/10.29333/ejgm/82498>
- Brik, K., Hassouni, T., Youssir, S., & Baroud, S. (2018). Epidemiological study of *Echinococcus granulosus* in sheep in the Gharb plain (North-West of Morocco). *Journal of Parasitic Diseases*. <https://doi.org/10.1007/s12639-018-1026-7>
- Casulli, A., Massolo, A., Saarma, U., Umhang, G., Santolamazza, F., & Santoro, A. (2022). Species and genotypes belonging to *Echinococcus granulosus* sensu lato complex causing human cystic echinococcosis in Europe (2000–2021): a systematic review. *Parasites and Vectors*, 15(1), 1–14. <https://doi.org/10.1186/s13071-022-05197-8>
- Craig, P. S., Hegglin, D., Lightowlers, M. W., Torgerson, P. R., & Wang, Q. (2017). Echinococcosis: Control and Prevention. In *Advances in Parasitology* (Vol. 96). Elsevier Ltd. <https://doi.org/10.1016/bs.apar.2016.09.002>
- Daipert-garcia, D., Pavan, M. G., Batista, L., Almeida, F. B. De, Siqueira, N. G., Brzoskowski,

- G., Dias-correia, T. P., Ferreira, H. B., & Rodrigues-silva, R. (2019). *Genetic diversity of Echinococcus vogeli in the western Brazilian Amazon*. 114(11), 11–14.
<https://doi.org/10.1590/0074-02760190149>
- Erbeto, K., Zewde, G., & Kumsa, B. (2010). *Hydatidosis of sheep and goats slaughtered at Addis Ababa Abattoir : prevalence and risk factors*. May 2008, 803–805.
<https://doi.org/10.1007/s11250-009-9495-4>
- Ernest, E., Nonga, H. E., & Kassuku, A. A. (2009). *Hydatidosis of slaughtered animals in Ngorongoro district of Arusha region , Tanzania*. 1179–1185.
<https://doi.org/10.1007/s11250-008-9298-z>
- Founta, A., Chliounakis, S., Sotiriadou, K. A., Koidou, M., & Bampidis, V. A. (2016). *in food animals in Northern Greece*. 123–127. <https://doi.org/10.12834/VetIt.123.347.2>
- Fromsa, A., & Jobre, Y. (2011). Infection prevalence of hydatidosis (*Echinococcus granulosus* , Batsch , 1786) in domestic animals in Ethiopia : A synthesis report of previous surveys. *Ethiopian Veterinary Journal*.
- Ghatee, M. A., Nikaein, K., Taylor, W. R., Karamian, M., Alidadi, H., Kanannejad, Z., Sehatpour, F., Zarei, F., & Pouladfar, G. (2020). Environmental, climatic and host population risk factors of human cystic echinococcosis in southwest of Iran. *BMC Public Health*, 20(1), 1–13. <https://doi.org/10.1186/s12889-020-09638-w>
- Golzari, S. E. J., & Sokouti, M. (2014). Pericyst: The outermost layer of hydatid cyst. *World Journal of Gastroenterology*, 20(5), 1377–1378. <https://doi.org/10.3748/wjg.v20.i5.1377>
- Gudeto, G. B. (2020). *International Journal of Advanced Research in Biological Sciences A Study on the Prevalence , Distribution and Economic Significance of Echinococcosis / Hydatidosis in Livestock (Cattle , Sheep , Goats and Pigs) Slaughtered at Addis Ababa*. 7, 135–145. <https://doi.org/10.22192/ijarbs>
- Hemisphere, N. (2022). *INFECTION WITH ECHINOCOCCUS*. 1–2.
- Herenda, D., Chambers, P. G., Ettriqui, A., Seneviratna, P., & da Silva, T. J. P. (2000). *Manual on Meat Inspection for Developing Countries*.
- Iqbal, H. J., Maqbool, A., Lateef, M., Khan, M. A., Riaz, A., Mahmood, A., Atif, F. A., & Ahmad, Z. A. M. S. (2012). *STUDIES ON HYDATIDOSIS IN SHEEP AND GOATS AT LAHORE , PAKISTAN*. 22(February 2011).
- Joseph, O., Joseph, E., Liveness, B., & John, K. (2019). Prevalence and monetary loss due to cystic Echinococcosis in slaughter house livestock : A case study of Migori County , Kenya. *Parasite Epidemiology and Control*, 3, e00105.
<https://doi.org/10.1016/j.parepi.2019.e00105>
- Juan, A., Arrabal, P., Avila, H. G., Rivero, R., Camicia, F., Salas, M. M., Nocera, C. G., & Rosenzvit, M. C. (2017). Echinococcus oligarthrus in the subtropical region of Argentina: First integration of morphological and molecular analyses determines two distinct populations. *Veterinary Parasitology*. <https://doi.org/10.1016/j.vetpar.2017.03.019>
- Kebede, N., Mitiku, A., & Tilahun, G. (2009). *Hydatidosis of slaughtered animals in Bahir Dar Abattoir , Northwestern Ethiopia*. 43–50. <https://doi.org/10.1007/s11250-008-9152-3>
- King, S., & Hutchinson, G. (2007). Hydatids – you , too , can be affected. *Primefacts*, 475(February), 1–9.
- Liang, Q., Xiang, H., Xu, L., Wen, H., Tian, Z., Yunus, A., Wang, C., Jiang, D., Abuduwaili, M.,

