

BUSITEMA UNIVERSITY ARAPAI CAMPUS FACULTY OF AGRICULTURE AND ANIMAL SCIENCES

DEPARTMENT OF AGRIBUSINESS AND EXTENSION

EFFECTS OF GROUNDNUT PRODUCTION ON THE INCOME OF SMALL HOLDER FARMERS IN NAMUTUMBA SUBCOUNTY NAMUTUMBA DISTRICT

 \mathbf{BY}

NAME: KISAKYE FAITH

COURSE CODE:3209

REG NO: BU UP 2021 0184

CONTACT: 0783065302/ 0757176701

EMAIL: kisakyefaith034@gmail.com

SUPERVISOR: ILELU SUZAN

ASPECIAL PROJECT REPORT SUBMITTED TO THE DEPARTMENT OF
AGRIBUSINESS AND EXTENSION IN PARTIAL FULLFILLMENT OF THE
REQUIREMENT FOR THE AWARD OF THE DEGREE OF BACHELOR OF
AGRIBUSINESS AT BUSITEMA UNIVERSITY

DECLARATION

This study is original andhas not be	en published or submitted for any other degree award to any
other university before	
Control of the Contro	

Signature Date 04/11/2024

KISAKYE FAITH

APPROVAL

This special project has been submitted to the Department of Agibusine	ss and Extension with
Signature Clies. Date 6 1112021	
MADAM ILELU SUZAN	

DEDICATION

I dedicate this work to Almighty God, my family and friends, the agricultural officer of Namutumba sub-county, and all researchers focused on groundnut production.

ACKNOWLEDGEMENT

I am grateful to Almighty God for the enduring grace and mercy throughout my academic journey. I also want to thank my parents, Mr. and Mrs. Magemeso Goerge, along with my sisters, brothers, and guardians, for their support. I extend my appreciation to my supervisor, Madam Ilelu Suzan, and all the lecturers at Busitema University for their efforts in enhancing my experience on campus. May God bless you all abundantly.

TABLE OF CONTENTS

DECLARATION	i
APPROVAL	ii
DEDICATION	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENTS	v
LIST OF TABLES	vii
LIST OF FIGURES	viii
LIST OF ACRONYMS	ix
1.2 PROBLEM STATEMENT	2
1.3 OBJECTIVES	3
1.5 Specific objectives	3
1.6 Research questions	3
Significance of the research	4
1.9 SCOPE OF THE STUDY	5
Content scope	5
Geographical scope	5
Time scope	5
CONCEPTUAL FRAMEW	6
CHAPTER TWO	7
2.0 LITERATURE REVIEW	7
CHAPTER THREE	10
3.0 METHODOLOGY	10
3.1 Introduction	10
3.3 study design	10
3.4 Research approach.	10
3.5 Research population	10
3.6 Sample size calculation	11
Slovins formula	11

	3.1.1 Data collection procedure	11
3	13 Ethical considerations	12
	4.0 SOCIO-ECONOMIC STATUS OF GROUNDNUT FARMERS	13
	4.1 GENDER	13
	Age	14
	Marital status	15
	Educational level	15
	4.2 PERCEIVED	17
	BENEFIT DERIVED FROM GROUNDNUT PRODUCTION	17
	INCREASED FARM SIZE	17
	Business expansion	19
	DISCUSSION OF RESULTS ON CHARACTERIZATION OF SMALL HOLDER FARMERS AND PERCIVED BENEFITS DERIVED FROM GROUNDNUT PRODUCTION	25
C	HAPTER FIVE	27
	5.1 CONCLUSIONS:	27
	RECOMMENDATIONS:	27
Α	PPENDIX 2: MAP THE STUDY AREA	36
		27

LIST OF TABLES

Table 1 GROSS MARGINS OF GROUNDNUT PRODUCTION ON INCOME OF SMALL HOLDER	-
FARMERS	24

LIST OF FIGURES

Figure 1 SHOWS CONCEPTUAL FRAME
Figure 2 Bar graph showing male and females who participated in the research
Figure 3 bar graph showing the age of groundnut farmers who participated in the research14
Figure 4 Bar graph showing the marital status of groundnut farmers who participated in the
research
Figure 5 Bar graph showing the level of education of groundnut farmers
Figure 6 Bar graph showing heads of families of groundnut farmers who participated in the
research
Figure 7 Pie chart showing the change in farm size of groundnut farmers
Figure 8 Pie chart showing farmers access to food
Figure 9 Pie chart showing farmers access to medical services
Figure 10 pie chart showing how income from groundnut production has influence on business
expansion
Figure 11 Pie chart showing how income from groundnut production has influence on ability to
build house
Figure 12 Pie chart showing how income groundnut production has influence on paying school
fees by groundnut farmers
Figure 13 Pie chart showing ground nut farmers ability to purchase a vechicle22
Figure 14 Pie chart showing how groundnut production has influence on change on income
received by farmers
Figure 15 Pie chart showing farmers access to clothing

LIST OF ACRONYMS

FAO Food And Agricultural Organization

GDP Gross Domestic Product

Ha Hectare

(MT|Ha) Metric Ton per HectareHYVs High Yielding Varieties

IPM Integrated Pest Management

Kg Kilogram

MAAIF Ministry Of Agriculture Animal Industry And Fisheries

NAADS National Animal Advisory Services

UBOS Uganda Bureau of Statistics

UGX (Ugshs) Uganda shillings

ABSTRACT

In Uganda, agriculture is the backbone of the economy and the primary source of income for rural communities. The sector contributes 23% of the country's GDP, employs over 70% of the population, and supports the growing food demand. Namutumba sub-county, located in the Busoga region, relies heavily on agriculture, with farmers depending on it for their livelihoods. However, many of these farmers face poverty, food insecurity, and low status, indicating that their agricultural practices are often unprofitable. This study aimed to assess the impact of groundnut production on the income of smallholder farmers in Namutumba sub-county, as groundnuts are a commonly grown crop with a ready market and higher prices. The researcher, guided by experts, used Easterby-Smith's (2013) formula to determine a sample size of 152 participants, all of whom were groundnut farmers. Data analysis using descriptive statistics revealed that more females participate in groundnut production than males. The research into the socio-economic status and perceived benefits of groundnut farming provided valuable insights into the demographics and challenges faced by these farmers. Notably, 59.2% of groundnut producers were women, with the highest participation rates among middle-aged individuals (36-45 years) at 39.47%. This highlights the significant role of women in agriculture and underscores the need for gender-sensitive agricultural policies. Most groundnut farmers had low educational attainment, primarily holding only primary or secondary education, which likely hinders their ability to adopt advanced farming techniques and enhance productivity. Although groundnut production meets subsistence needs, it may not generate sufficient income to significantly improve living standards. To make groundnut production a profitable venture in Namutumba sub-county, supportive policies should empower female farmers. This includes providing access to credit, offering training on improved farming techniques, and ensuring effective delivery of agricultural extension services tailored for women. Additionally, training programs focusing on enhanced production methods, pest management, and post-harvest handling should be introduced to boost productivity and profitability

CHAPTER ONE

1.1 BACKGROUND

Groundnut is thought to have originated in the southern Bolivia to northern Argentina region of South America (Desmae et al., 2019). While the exact timing of its domestication is unclear, it likely first occurred in the valleys of the Paraná and Paraguay river systems in the Gran Chaco area. Today, groundnut is a significant crop for oil, food, and forage (Gottheil, 2022).

Globally, groundnut ranks as the second most important oilseed crop, primarily cultivated in semiarid tropical regions (Gottheil, 2022). More than 100 countries grow groundnuts, with over 90%
of producers located in developing nations. It is the fourth most important oilseed crop worldwide
(Wizard, 2022). Groundnut (Arachis hypogaea), an annual legume from the Fabaceae family, has
several varieties, including: Runner Varieties: Spanish Varieties, Valencia Varieties, Tennessee
Red Valencia. (Raza, 2017). Groundnut seeds contain 40-50% fat, 20-50% protein, and 10-20%
carbohydrates, depending on the variety (Savage, 2022). As the costs of animal protein rise,
groundnuts are becoming increasingly important as a protein source. The seeds are also rich in
vitamin E, niacin, calcium, phosphorus, magnesium, zinc, iron, riboflavin, thiamine, and
potassium (Savage, 2022). Groundnuts can be consumed raw, roasted, or boiled, and the oil
extracted from them is used in various culinary applications, including margarine, cookies,
candies, and salad oils. Additionally, groundnut plants are utilized for animal feed and as industrial
raw materials. They also enhance soil fertility by fixing nitrogen (Konate et al., 2020). These
diverse uses make groundnut a valuable cash crop for both domestic and international markets.

Globally, groundnut is grown on approximately 25 million hectares across semi-arid tropical and subtropical regions, with major production occurring in Asia and Africa. As of 2019, it is cultivated in 108 countries on 29.6 million hectares, yielding 48.86 million tons (FAO, 2019). China is the largest producer, with 18.3 million metric tons produced in 2022/23, driven by high domestic demand. China's agriculture is characterized by smallholder farming, with an average farm size of just 0.497 hectares and a yield of about 3.8 metric tons per hectare.

REFERENCES

- Anang, B. T. (2021). Assessing technical and scale efficiency of groundnut production in Tolon district of northern Ghana: A nonparametric approach. *Journal of Agriculture and Food Research*, 4(March), 100149. https://doi.org/10.1016/j.jafr.2021.100149
- Chapu, I., Okello, D. K., Okello, R. C. O., Odong, T. L., Sarkar, S., & Balota, M. (2022). Exploration of Alternative Approaches to Phenotyping of Late Leaf Spot and Groundnut Rosette Virus Disease for Groundnut Breeding. *Frontiers in Plant Science*, 13. https://doi.org/10.3389/fpls.2022.912332
- Desmae, H., Janila, P., Okori, P., Pandey, M. K., Motagi, B. N., Monyo, E., Mponda, O., Okello, D., Sako, D., Echeckwu, C., Oteng-Frimpong, R., Miningou, A., Ojiewo, C., & Varshney, R. K. (2019). Genetics, genomics and breeding of groundnut (Arachis hypogaea L.). *Plant Breeding*, 138(4), 425–444. https://doi.org/10.1111/pbr.12645
- Gottheil, R. J. H. (1910). The Origin and History of the Minaret. Journal of the American Oriental

- Society, 30(2), 132. https://doi.org/10.2307/3087601
- Kefa, O. H. (n.d.). Groundnut Production Guide for Uganda: GROUNDNUT PRODUCTION GUIDE FOR UGANDA: Recommended practices for farmers.
- Konate, M., Sanou, J., Miningou, A., Okello, D. K., Desmae, H., Janila, P., & Mumm, R. H. (2020). Past, present and future perspectives on groundnut breeding in Burkina Faso. *Agronomy*, *10*(5), 1–23. https://doi.org/10.3390/agronomy10050704
- N'Gbesso, M. F. D. P., Gadji, A. A. G., Coulibaly, N. D., Kogloin, B. U., Fondio, L., Ossey, C. L., N'Gaza, A. F., Tienebo, E. O., & Abo, K. (2024). Assessment of the agronomic performance of twenty-two (22) peanut (Arachis hypogaea L.) accessions against late leaf spot and groundnut rosette diseases in central Côte d'Ivoire. *Cogent Food and Agriculture*, 10(1). https://doi.org/10.1080/23311932.2023.2300187
- Okello, D. K., Biruma, M., & Deom, C. M. (2010). Overview of groundnuts research in Uganda: Past, present and future. *African Journal of Biotechnology*, 9(39), 6448–6459.
- Okello, D. K., Okori, P., Puppala, N., Bravo-Ureta, B., Deom, C. M., Ininda, J., Anguria, P., Biruma, M., & Asekenye, C. (2015). Groundnut seed production manual for Uganda. In *National Agricultural Research Institute (NARO)*.
- Olayide, O. E., Donkoh, S. A., Gershon, I., Ansah, K., Adzawla, W., Reilly, P. J. O., Mayes, S., Feldman, A., Halimi, R. A., Nyarko, G., Ilori, C. O., & Alabi, T. (2018). Assessing Socioeconomic Factors Influencing Production and Commercialization of Bambara Groundnut as an Indigenous Climate Resilient Crop in Nigeria.
- Onuwa, C. G., Mailumo, S. S., & Muhammed, S. Y. (2020). PROFITABILITY ANALYSIS AND DETERMINANTS OF GROUNDNUT (Arachis hypogea) PRODUCTION IN DAMBATTA LOCAL GOVERNMENT AREA OF KANO STATE, NIGERIA. *Open Journal of Agricultural Science (ISSN: 2734-214X)*. https://doi.org/10.52417/ojas.v1i1.91
- Onyuka, E. O. (2016). an Assessment of Profitability of Groundnut Production Using Gross Margin, the Case of Ndhiwa Sub County, Kenya. *International Journal of Recent Research in Social Sciences and Humanities (IJRRSSH)*, *3*(3), 116–123.

Raza, A. (2017). "Evaluation of Groundnut Varieties for the Agro- Ecological Zone of Malak and Division." *International Journal of Environmental Sciences & Natural Resources*, 5(5), 3–6. https://doi.org/10.19080/ijesnr.2017.05.555671

UBOS. (2022). Annual agricultural survey. Report, 2, 2–5.

Chapu, I., Okello, D. K., Okello, R. C. O., Odong, T. L., Sarkar, S., & Balota, M. (2022). Exploration of Alternative Approaches to Phenotyping of Late Leaf Spot and Groundnut Rosette Virus Disease for Groundnut Breeding. *Frontiers in Plant Science*, 13. https://doi.org/10.3389/fpls.2022.912332

Desmae, H., Janila, P., Okori, P., Pandey, M. K., Motagi, B. N., Monyo, E., Mponda, O., Okello, D., Sako, D., Echeckwu, C., Oteng-Frimpong, R., Miningou, A., Ojiewo, C., & Varshney, R. K. (2019). Genetics, genomics and breeding of groundnut (Arachis hypogaea L.). *Plant Breeding*, 138(4), 425–444. https://doi.org/10.1111/pbr.12645

Gottheil, R. J. H. (1910). The Origin and History of the Minaret. *Journal of the American Oriental Society*, 30(2), 132. https://doi.org/10.2307/3087601

APPENDICES

APPENDIX 1: RESEARCH QUESIONAIRE

QUESTIONNAIRE TO BE USED TO COLLECT DATA FROM THE RESPONDENT FOR RESEARCH TO ASSESS THE EFFECT OF GROUNDNUT PRODUCTION ON THE INCOME OF SMALLHOLDER FARMERS IN NAMUTUMBA SUB-COUNTY, NAMUTUMBA DISTRICT

My name is Kisakye Faith, and I am a student at Busitema University, Arapai Campus in Soroti City, pursuing a Bachelor's Degree in Agribusiness. I am conducting a study to assess the effect of groundnut production on the income of smallholder farmers in Namutumba Subcounty, Namutumba District, as part of my degree requirements.