

#### **FACULTY OF ENGINEERING**

#### DEPARTMENT OF MINING AND WATER RESOURCES ENGINEERING

# DEVELOPING A MODEL FOR PREDICTION OF BLAST INDUCED GROUND VIBRATIONS

Case study: Seyani International Company Limited

# By KOMAGUM SHARON BU/UG/2016/42

Email: komagumsharon@gmail.com

Tel: +256-784 660161/ +256-704 380242

SUPERVISOR: Mr. NASASIRA MICHAEL BAKAMAA

Final year research project report submitted to the department of Mining and Water

Resources Engineering in the partial fulfillment of the requirements for the award of a BSc.

degree in Mining Engineering

**DECEMBER 2020** 

#### **ABSTRACT**

The increased development within countries interms of infrastructure has created a high demand for the production of materials such as stone aggregate and sand for the infrastructure construction. This is basically achieved by blasting which has been proven to be an economical and viable method for rock excavation, however, its associated with negative effects such as ground vibrations, air blast and fly rock thus endangering the surrounding environment.

This research addresses a model which actually predicts the amount of ground vibrations produced during blasting. The case study area was Seyani international company limited. Seyani International Company Limited deals with extraction of granite for commercial purposes where by its processed to make slabs, stone dusts etc. it is located in Buntaba (Off – Gayaza Kayunga Road) 35km from Kampala capital city. The coordinates of the quarry are 00 39 36N, 34 09 18E (Longitude: 0.6600; latitude:34.1550).

Through research, literature reviews, consultations around 142 datasets from 142 different previous blasting days were got and used in the development of the model.

These datasets included parameters like bench height, hole diameter, burden length, spacing, subdrill length, charge length, stemming length, powder factor, delay time and uni-axial compressive strength of the rock in question.

The study also involved taking samples to the laboratory at Makerere university to test for rock strength and it was found to be 149.33Mpa

The regression algorithm was used in training the model and the programming language used was python.

# **DECLARATION**

I, $KOMAGUM\ SHARON$ , $BU/UG/2016/42$ , hereby declare that this report is the work of my
hands and this report has never been presented by any person or institution for an academic award.
Signature:
Date://

### APPROVAL

This work has been compiled with the guidance and consultation from my supervisor.
Supervisor
Mr. NASASIRA MICHAEL BAKAAMA
Signature
Date/

#### **DEDICATION**

I dedicate this report to my mother KOMAGUM JACINTA ACHIENG and my lovely brothers KOMAGUM EDWIN AND KOMAGUM STEPHEN STUART for the tireless efforts to see me accomplish this report. May the good Lord reward you abundantly.

#### **ACKNOWLEDGEMENT**

I am very grateful to the Almighty God for the guidance and good health he has provided for me and for enabling me reach this final year of study.

Sincere appreciations to my supervisor Mr. Nasasira Michael Bakamaa for his continuous effort in guiding me through my entire project and in my report writing. May God bless you.

#### TABLE OF CONTENTS ouoCONCEPT TEMPLATE .....i ABSTRACT......ii DECLARATION .....iii APPROVAL ......iv DEDICATION......v ACKNOWLEDGEMENT ......vi TABLE OF CONTENTS......vii LIST OF FIGURES ......ix LIST OF TABLES.....x ACRONYMS ......xi CHAPTER ONE: INTRODUCTION \_\_\_\_\_1 1.1 1.2 Problem statement 2 1.3 Justifications 2 1.4 1.4.1 Main objective......3 1.4.2 1.5 1.6 CHAPTER 2: LITERATURE REVIEW .......4 2.1 BLASTING .......4 2.1.1 Blast induced ground vibrations ......5 2.1.2 ARTIFICIAL NEURAL NETWORK (ANN) ......10 2.2 3.1 3.2 3.3 3.4 Specific objective one: To determining the drilling and blasting parameters used at SICL. ..... 16 3.5 3.6

CHAPTER FOUR: RESULTS AND DISCUSSIONS ......22

4.1	Introduction	22
4.2	Objective one; Determine the drilling and blasting parameters used at SICL	22
4.3	Specific objective two: Develop the ANN based model	23
4.3	.1 Analysis of the training datasets	23
4.3	.2 Training of the model	25
4.4	Specific objective three: Testing and validating the model	28
4.4.	.1 Evaluation of the Model Performance	28
5 Cha	apter FIVE: RECOMMENDATIONS, CONCLUSIONS AND CHALLENGES	32
5.1	Conclusion	32
5.2	Recommendation	33
5.3	Challenges	33
REFERI	ENCES	34

# LIST OF FIGURES

Figure 1:Shows cracks on nearby structures around the quarry as a result of ground vibrations	2
Figure 2: Shows a blast design pattern	2
Figure 3: Shows the ANN procedure	12
Figure 4:Shows the process flow diagram for the parameters of interest.	17
Figure 5: Shows the training process of the ANN model	18
Figure 6: Shows the process flow diagram for developing the model	20
Figure 7:Shows correlation between hole diameter and bench height	24
Figure 8: Shows correlation between burden and bench height	24
Figure 9: Shows dataset distribution using a bar chart	25
Figure 10: Shows how data was entered in the cvs format file	26
Figure 11: Shows how the model has learnt from the training process	27
Figure 12:Graphical user interface of the model	28
Figure 13: Shows how the model has performed on the testing data after training	28
Figure 14: Mean squared error used as validation performance parameter	
Figure 15: Shows how RMSE performed as a validation performance parameter	

# LIST OF TABLES

Table 1: Shows predictor equations used to measure PPV, the effects and damages and their maximum	n
allowable PPV	7
Γable 2: Shows some of the empirical models used to predict PPV	8
Table 3: Shows tools used in the study	15
Table 4: Shows methods of data collection	15
Table 5: Shows the input and expected output from the ANN model	18
Table 6: Shows the various prediction equations used to calculate PPV	20
Table 7:Shows values of determined drilling parameters from the field	22
Table 8:Shows values of determined blasting parameters from the field.	22
Table 9: Shows datasets used for training the model	23
Table 10: Shows output from trained model	30

#### **ACRONYMS**

ANN-ARTIFICIAL NUERAL NETWORK

SICL- SEYANI INTERNATIONAL COMPANY LIMITED

PPV- PEAK PARTICLE VELOCITY

MLP- MULTI LAYER PROTOCAL

MSE- MEAN SQUARE ERROR

RMSE- ROOT MEAN SQUARE ERROR

LTD-LIMITED