

#### **FACULTY OF ENGINEERING**

# DEPARTMENT OF AGRICULTURAL MECHANIZATION AND IRRIGATION ENGINEERING

# DESIGN AND CONSTRUCTION OF A MOTORIZED CASSAVA PEELS GRATING MACHINE.

**CASE STUDY AREA IN KUMI** 

**BY: CHESANG CALVIN** 

REG.NO: BU/UP/2017/1827

TEL: +256782350590

Email: chesangcalvin@mail.com

SUPERVISOR: MR ERIAU EMMANUEL

FINAL YEAR PROJECT SUBMITTED IN PARTIAL FULFILMENT FOR THE

AWARD OF BACHELOR OF SCIENCE IN AGRICULTURAL

MECHANIZATION AND IRRIGATION ENGINEERING

#### Abstract

Uganda is one of the top producers of cassava in Africa. Uganda's annual cassava production is 3.5 million tons, grown on an estimated 0.4milion hectares (www.fao.org, Article by Kalyango Ronald), and that it is the second most important staple food after bananas. Cassava root is the third-largest source of food carbohydrates after rice and maize and it gives third highest yield of carbohydrates per cultivated area among crop plants, However, the roots are rich in calcium and vitamin C and contain a nutritionally significant quantity of thiamine, riboflavin and nicotinic acid. The products from cassava tuber processing include; Cassava flour, Cassava chips, Cassava breakfast/snack flakes, Starch, Glue, Ethanol, Cassava leaves, Fresh roots and Cassava and the byproduct of cassava is cassava peels as ingredient for Animal feeds. However wet cassava peels contain high moisture content and quickly deteriorate. In addition, fresh cassava peels contain hydrocyanic acid which generates free cyanide and this calls for pounding by using a grating machine. A motorized cassava peels grating machine was designed, fabricated from Busitema university located in the eastern region of Uganda. The materials chosen were basing mainly on the cost, availability and workability.

The machine attained an average efficiency of 68.3 % at feed rate of 0.046kg/s after with the different masses of cassava peels. The machine can be used in production by both medium and large-scale processors to grate cassava peels. Also, the machine is cheap and affordable in terms of power requirement, its maximum power requirement is 3HP.

The machine has the NPV of 352, 946UGX and the payback period of 1.2yearsmaking viable with the initial investment of 1,145,755UGX having the selvage value of 561,419.95UGX, hence makes the machine to attract the processors of the cassava and cassava peels.

The cassava peels grating machine comprises of the process system and the support system and these include; the feed hopper, crusher drum, main rotating shaft, cylindrical regulatory plate, main frame and power unit.

i

#### ACKNOWLEDGEMENT

First, I thank the Almighty God for granting me good health, protection, knowledge and the strength during my period 0f research amidst the COVID19 pandemic challenges.

I as well love to extend great thanks to my parents and brothers especially Ivan for their financial support, care and encouragement and my supervisor in all the endevouers.

I also thank the Department of Agricultural mechanization and irrigation for the pieces of advice.

#### **DECLARATION**

I chesang Calvin, declare to the best of my knowledge that this Report is as a result of my research and effort and it has never been submitted or presented to any University, College or any other Institution for an academic award.

Signature	 	
Date	 	

## APROVAL

This is to certif	y that this	report was	s written by	chesang	Calvin i	n fulfillment	of research	as part
of my academic	c processes	s under sup	ervision.					

Supervisor	
Name	••
Signature	••
Date	•

### **DEDICATION**

This report is firstly dedicated to the Almighty God because by his grace I have been able to come from far in all my academic process secondly onto my beloved parents for their efforts more financially and other things towards my education and also my fellow friends whom have been around me.

# List of tables

Table 1 showing the countries with different harvests in different areas	1
Table 2 Showing the properties of cassava.	8
Table 3 showing Approximate composition (% of fresh weight) of cassava leaf, amaranth leaf, soybear	
and yellow maize. (In brackets the percentage on dry matter basis.)	9
Table 4 showing mineral and vitamin content 100 g of cassava leaf, amaranth leaf, soybean and yellow	,
maize	9
Table 5 Nutritional value of cassava peel pellets compared to some common grains (values generated by	by
Near-Infrared Spectroscopy (NIRS) analysis at ILRI-India).	11
Table 6: shows the recommended values of K <sub>b</sub> and K <sub>t</sub> for different nature of load on shafts	15
Table 7 Determination of the shaft diameter	32
Table 8 Driving mechanism	33
Table 9 Masses on the central shaft	36
Table 10 showing the material selection	38
Table 11showing the tools, Equipment and Machines that I used.	39
Table 12 fabrication and assembly of machine components.	39
Table 13showing the testing process of the machine.	41
Table 14 showing budget.	

# List of figures

Figure 1 showing the whole cassava plant	6
Figure 2 showing mature cassava tubers	6
Figure 3 Showing the cross section of the cassava tuber	7
Figure 4 showing a hip of cassava peels.	. 12
Figure 5 Showing the inside part of the grating machine.	. 13
Figure 6 Showing the rasper/drum	. 13
Figure 7 Showing the people sorting cassava peels.	. 14

#### LIST OF ABBREVIATIONS

**FAO** - Food and Agriculture Organization

**ASTM** - American Society for Testing and Materials

**ASME** - American Society of Mechanical Engineers

**EAC** - East African Community

**Ha** - Hectares

**HP** - Horse Power

MAAF - Ministry of Agriculture Animal and Fisheries

Mt - Metric tones

**MS** - Mild Steel

**UEPB** - Uganda Export Promotion Board

**UBOS** - Uganda Bureau of Statistics

**PV** - Present Value

**NPV** - Net Present Value

## Table of content.

### Contents

Abstract	i
ACKNOWLEDGEMENT	ii
DECLARATION	iii
APROVAL	iv
DEDICATION	v
List of tables	vi
List of figures	vii
LIST OF ABBREVIATIONS	viii
Table of content.	ix
1.0 CHAPTER ONE	1
1.1Introduction	1
1.2 Background	1
1.3 Problem statement	3
1.4 Justification	3
1.5 Objectives of the study	3
1.5.1Main objective	3
1.5.2 Specific objectives	3
1.6 Scope of study	4
2.0 CHAPTER TWO	5
2.1 LITERATURE REVIEW	5
2.2 Cassava production	5
2.3 HARVESTING	5
2.3.1 PROPERTIES OF CASSAVA	7
2.3.2 Physical and mechanical properties	7
2.3.3 Nutrients in cassava	8
2.4 CASSAVA PEELING	9
2.4.1 Methods of Cassava Peeling	9
2.5 BYPRODUCTS OF CASSAVA	10
2.6 Review of the existing cassava peels grating machine	12
2.6.1Operating principle of the machine.	12

2.6.2 Mode of operation of the existing cassava peels grating machine	13
2.6.3Design Analysis of Standard Machine Components	14
2.6.4 Performance test	18
2.6.5 Financial analysis techniques	18
3.0 CHAPTER THREE	21
3.1 Introduction	21
3.2 Description of the cassava peels grating machine.	21
3.3 DESIGN CONSIDERATIONS	23
3.3.1 Design Parameters to be used.	23
3.3.2 Material Selection.	23
3.4 DESIGN OF THE COMPONENTS OF CASSAVA PEELS GRATING MACHINE	23
3.4.1 The Hopper	23
3.4.2 The crushing unit	24
3.4.2.1 Drum Design.	24
The regulatory plate	24
power requirement	24
3.4.4 Driving mechanism	25
3.4.5 The Pulley	25
3.4.6 The belt	26
3.4.7 Design analysis of the shafts	27
3.4.8 Design for the main frame	29
CHAPTER 4	30
4.1 PERFORMANCE EVALUATION OF THE CASSAVA PEELS GRATING	
MACHINE	41
4.2 COST ANALYSIS OF THE FABRICATED CASSAVA PEELS GRATING MACHINE	42
Investment cost	43
5.0 CONCLUSION AND RECOMMENDATIONS	46
5.1 RECOMMENDATIONS	46
Appendices	47
Deferences	10